



INSTRATA® FUSION is a combination of separately registered products comprised of INSTRATA FUSION A, INSTRATA FUSION B and INSTRATA FUSION C.

INSTRATA® and the Syngenta wordmark are trademarks of a Syngenta Group Company.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Instrata Fusion A

Version 1.0      Revision Date: 02/04/2026      SDS Number: S00053347223      Date of last issue: -  
Date of first issue: 02/04/2026

### SECTION 1. IDENTIFICATION

Product name : Instrata Fusion A  
Design code : A17856B

Product Registration number : 35691

Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Syngenta Canada Inc.  
Address : 140 Research Lane, Research Park  
Guelph ON N1G 4Z3  
Canada

Telephone : 1-87-SYNGENTA (1-877-964-3682)  
Telefax : 1-519-823-0504

E-mail address :  
Emergency telephone number : 1-800-327-8633 (FAST MED)

#### Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

#### GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
fludioxonil (ISO)	fludioxonil (ISO)	131341-86-1	11.7925
propane-1,2-diol	propane-1,2-diol	57-55-6	$\geq 5 - < 10$ *
triethylamine	triethylamine	121-44-8	$\geq 0 - < 0.1$ *

\* Actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Instrata Fusion A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/04/2026	S00053347223	Date of first issue: 02/04/2026

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific  
No symptoms known or expected.
- Notes to physician : There is no specific antidote available.  
Treat symptomatically.

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam  
or  
Water spray
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NOx)  
Fluorine compounds
- Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.
- Special protective equipment : Wear full protective clothing and self-contained breathing ap-

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Instrata Fusion A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/04/2026	S00053347223	Date of first issue: 02/04/2026

for firefighters

paratus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : No special protective measures against fire required. Avoid contact with skin and eyes. When using do not eat, drink or smoke. For personal protection see section 8.
- Conditions for safe storage : No special storage conditions required. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
fludioxonil (ISO)	131341-86-1	TWA	5 mg/m <sup>3</sup>	Syngenta
		TWA (Inhalable particulate matter)	1 mg/m <sup>3</sup>	ACGIH
propane-1,2-diol	57-55-6	TWA (Vapour and aerosols)	50 ppm 155 mg/m <sup>3</sup>	CA ON OEL
		TWA (aerosol)	10 mg/m <sup>3</sup>	CA ON OEL
triethylamine	121-44-8	TWA	1 ppm	CA AB OEL

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Instrata Fusion A

Version 1.0      Revision Date: 02/04/2026      SDS Number: S00053347223      Date of last issue: -  
Date of first issue: 02/04/2026

			4.1 mg/m <sup>3</sup>	
		STEL	3 ppm 12 mg/m <sup>3</sup>	CA AB OEL
		TWA	0.5 ppm	CA BC OEL
		STEL	1 ppm	CA BC OEL
		TWAEV	0.5 ppm	CA QC OEL
		STEV	1 ppm	CA QC OEL
		TWA	0.5 ppm	ACGIH
		STEL	1 ppm	ACGIH

**Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.  
Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

**Respiratory protection** : No personal respiratory protective equipment normally required.  
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

**Hand protection**

**Remarks** : No special protective equipment required.  
**Eye protection** : No special protective equipment required.  
**Skin and body protection** : No special protective equipment required.  
Select skin and body protection based on the physical job requirements.

**Protective measures** : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : suspension

**Colour** : beige grey to grey green

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Instrata Fusion A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/04/2026	S00053347223	Date of first issue: 02/04/2026

Odour : sweetish

Odour Threshold : No data available

pH : 5 - 9  
Concentration: 1 %w/v

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Method: Pensky-Martens closed cup  
does not flash

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 1.06 g/cm<sup>3</sup> (20 °C)

Solubility(ies)

    Water solubility : No data available

    Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : 610 °C

Decomposition temperature : No data available

Viscosity

    Viscosity, dynamic : 77 - 233 mPa,s ( 20 °C)  
64 - 196 mPa,s ( 40 °C)

    Viscosity, kinematic : No data available

Explosive properties : Not explosive

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Instrata Fusion A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/04/2026	S00053347223	Date of first issue: 02/04/2026

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Surface tension : 39.4 mN/m, 0.1 % w/v, 20 °C

Particle characteristics  
Particle size : No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Ingestion  
Inhalation  
Skin contact  
Eye contact

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity : LD50 (Rat, female): 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.59 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

#### Components:

##### **fludioxonil (ISO):**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.6 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Instrata Fusion A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/04/2026	S00053347223	Date of first issue: 02/04/2026

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### propane-1,2-diol:

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rabbit): 317,042 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### triethylamine:

Acute oral toxicity : Assessment: The component/mixture is toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): 7.22 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit, male): 580 mg/kg

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Product:

Species : Rabbit  
Result : No skin irritation

#### Components:

##### fludioxonil (ISO):

Species : Rabbit  
Result : No skin irritation

##### propane-1,2-diol:

Result : No skin irritation

##### triethylamine:

Species : Rabbit  
Result : Corrosive after 3 minutes or less of exposure

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Instrata Fusion A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/04/2026	S00053347223	Date of first issue: 02/04/2026

### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### Product:

Species	:	Rabbit
Result	:	No eye irritation

#### Components:

##### **fludioxonil (ISO):**

Species	:	Rabbit
Result	:	No eye irritation

##### **propane-1,2-diol:**

Result	:	No eye irritation
--------	---	-------------------

##### **triethylamine:**

Species	:	Rabbit
Result	:	Irreversible effects on the eye

### Respiratory or skin sensitisation

#### **Skin sensitisation**

Based on available data, the classification criteria are not met.

#### **Respiratory sensitisation**

Not classified due to lack of data.

#### Product:

Test Type	:	Buehler Test
Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.

#### Components:

##### **fludioxonil (ISO):**

Species	:	Guinea pig
Result	:	Does not cause skin sensitisation.

##### **propane-1,2-diol:**

Result	:	Does not cause skin sensitisation.
--------	---	------------------------------------

##### **triethylamine:**

Result	:	Did not cause sensitisation on laboratory animals.
--------	---	--

### Germ cell mutagenicity

Not classified due to lack of data.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Instrata Fusion A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/04/2026	S00053347223	Date of first issue: 02/04/2026

### Components:

#### **fludioxonil (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

#### **propane-1,2-diol:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

#### **triethylamine:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

### **Carcinogenicity**

Not classified due to lack of data.

### Components:

#### **fludioxonil (ISO):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

#### **propane-1,2-diol:**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

#### **triethylamine:**

Carcinogenicity - Assessment : No data available

### **Reproductive toxicity**

Not classified due to lack of data.

### Components:

#### **fludioxonil (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction

#### **propane-1,2-diol:**

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

#### **triethylamine:**

Reproductive toxicity - Assessment : No toxicity to reproduction, Information given is based on data obtained from similar substances.

No effects on or via lactation

### **STOT - single exposure**

Not classified due to lack of data.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Instrata Fusion A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/04/2026	S00053347223	Date of first issue: 02/04/2026

### Components:

#### **propane-1,2-diol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **triethylamine:**

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

#### **STOT - repeated exposure**

Not classified due to lack of data.

### Components:

#### **fludioxonil (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **propane-1,2-diol:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **triethylamine:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Aspiration toxicity**

Not classified due to lack of data.

### Components:

#### **propane-1,2-diol:**

No aspiration toxicity classification

#### **triethylamine:**

No aspiration toxicity classification

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 5.4 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 30 mg/l

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Instrata Fusion A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/04/2026	S00053347223	Date of first issue: 02/04/2026

aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 5.4 mg/l  
Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 1 mg/l  
End point: Growth rate  
Exposure time: 96 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 2.9 mg/l  
End point: Growth rate  
Exposure time: 96 h

### Components:

#### **fludioxonil (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.23 mg/l  
Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): 0.7 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.4 mg/l  
Exposure time: 48 h

EC50 (Americamysis): 0.27 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 0.259 mg/l  
Exposure time: 96 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.077 mg/l  
End point: Growth rate  
Exposure time: 96 h

ErC50 (Skeletonema costatum (marine diatom)): 0.43 mg/l  
Exposure time: 96 h

NOEC (Skeletonema costatum (marine diatom)): 0.14 mg/l  
End point: Growth rate  
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.04 mg/l  
Exposure time: 28 d

EC10 (Pimephales promelas (fathead minnow)): 0.018 mg/l  
Exposure time: 116 d

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Instrata Fusion A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/04/2026	S00053347223	Date of first issue: 02/04/2026

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.035 mg/l  
Exposure time: 21 d

NOEC (Americamysis): 0.018 mg/l  
Exposure time: 28 d

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h

### propane-1,2-diol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : (Ceriodaphnia dubia (water flea)): 18,340 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 19,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (Water flea)): 13,020 mg/l  
Exposure time: 7 d  
Test Type: semi-static test

### triethylamine:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 36 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 9.8 mg/l  
Exposure time: 72 h

## Persistence and degradability

### Components:

#### fludioxonil (ISO):

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 450 - 700 d  
Remarks: Persistent in water.

#### propane-1,2-diol:

Biodegradability : Result: Readily biodegradable.

#### triethylamine:

Biodegradability : Result: Readily biodegradable.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Instrata Fusion A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/04/2026	S00053347223	Date of first issue: 02/04/2026

### Bioaccumulative potential

#### Components:

##### fludioxonil (ISO):

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 4.12 (25 °C)

### Mobility in soil

#### Components:

##### fludioxonil (ISO):

Distribution among environmental compartments : Remarks: immobile

Stability in soil : Dissipation time: 14 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

### Other adverse effects

#### Components:

##### fludioxonil (ISO):

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

Endocrine disrupting potential : Substance does not have endocrine disrupting properties.

##### triethylamine:

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Refer to the product label for specific disposal/recycling information  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.

Contaminated packaging : Refer to the product label for specific disposal/recycling information  
Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Instrata Fusion A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/04/2026	S00053347223	Date of first issue: 02/04/2026

Do not re-use empty containers.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUDIOXONIL)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

##### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (FLUDIOXONIL)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

##### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUDIOXONIL)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Instrata Fusion A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/04/2026	S00053347223	Date of first issue: 02/04/2026

### National Regulations

#### TDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUDIOXONIL)
Class	: 9
Packing group	: III
Labels	: 9
ERG Code	: 171
Marine pollutant	: yes(FLUDIOXONIL)
Remarks	: Class 9 Exemption from Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, if transported solely on land by road vehicle or railway vehicle. 1.45.1. SOR/2008-34

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

Warning, contains the allergen 1,2-benzisothiazolin-3-one and 2-bromo-nitropropane-1,3-diol

**Canadian PBT Chemicals** : This product contains the following components on the DSL that are classified as Persistent, Bioaccumulative and/or Toxic (PBT) under CEPA:  
octamethylcyclotetrasiloxane [D4]Cyclopentasiloxane, 2,2,4,4,6,6,8,8,10,10-decamethyl-

**NPRI Components** : triethylamine  
ethyl acetate  
ethanediol

### The components of this product are reported in the following inventories:

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.  
fludioxonil (ISO)

### Canadian lists

No substances are subject to a Significant New Activity Notification.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Instrata Fusion A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/04/2026	S00053347223	Date of first issue: 02/04/2026

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
Syngenta	:	Syngenta Occupational Exposure Limit
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA AB OEL / STEL	:	15-minute occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA BC OEL / STEL	:	short-term exposure limit
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)
CA QC OEL / TWAEV	:	Time-weighted average exposure value
CA QC OEL / STEV	:	Short-term exposure value
Syngenta / TWA	:	Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## Instrata Fusion A

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	02/04/2026	S00053347223	Date of first issue: 02/04/2026

---

Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 02/04/2026  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / 6N

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION B

Version 1.0      Revision Date: 01/30/2026      SDS Number: S00053181641      Date of last issue: -  
Date of first issue: 01/30/2026

### SECTION 1. IDENTIFICATION

Product name : INSTRATA FUSION B  
Design code : A15457R

Product Registration number : 35692

Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Syngenta Canada Inc.  
Address : 140 Research Lane, Research Park  
Guelph ON N1G 4Z3  
Canada

Telephone : 1-87-SYNGENTA (1-877-964-3682)  
Telefax : 1-519-823-0504

E-mail address :  
Emergency telephone number : 1-800-327-8633 (FAST MED)

#### Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Serious eye damage : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H227 Combustible liquid.  
H302 + H332 Harmful if swallowed or if inhaled.  
H318 Causes serious eye damage.

Precautionary statements : **Prevention:**

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION B

Version 1.0      Revision Date: 01/30/2026      SDS Number: S00053181641      Date of last issue: -  
Date of first issue: 01/30/2026

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 Avoid breathing mist or vapours.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

### Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

### Storage:

P403 Store in a well-ventilated place.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
benzovindiflupyr (ISO)	benzovindiflupyr (ISO)	1072957-71-1	9.6339
Methyl 5-(dimethylamino) 2-methyl-oxopentanoate	Methyl 5-(dimethylamino) 2-methyl-oxopentanoate	1174627-68-9	$\geq 5 - < 10$ *
oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propyl] ether	oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-	134180-76-0	$\geq 1 - < 5$ *

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053181641	Date of first issue: 01/30/2026

	disiloxa- nyl]propyl] ether		
propane-1,2-diol	propane-1,2-diol	57-55-6	>= 1 - < 5 *

\* Actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific  
No symptoms known or expected.  
Harmful if swallowed or if inhaled.  
Causes serious eye damage.
- Notes to physician : There is no specific antidote available.  
Treat symptomatically.

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.  
Flash back possible over considerable distance.
- Hazardous combustion prod- : Carbon oxides

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053181641	Date of first issue: 01/30/2026

ucts  
Nitrogen oxides (NOx)  
Chlorine compounds  
Fluorine compounds

Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Keep people away from and upwind of spill/leak.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Remove all sources of ignition.  
Pay attention to flashback.

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
Use only in an area containing flame proof equipment.  
Take precautionary measures against static discharges.  
For personal protection see section 8.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from combustible material.  
Keep in an area equipped with sprinklers.  
Keep away from food, drink and animal feedingstuffs.  
No smoking.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION B

Version 1.0      Revision Date: 01/30/2026      SDS Number: S00053181641      Date of last issue: -  
Date of first issue: 01/30/2026

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
benzovindiflupyr (ISO)	1072957-71-1	TWA	1 mg/m <sup>3</sup>	Syngenta
propane-1,2-diol	57-55-6	TWA (Vapour and aerosols)	50 ppm 155 mg/m <sup>3</sup>	CA ON OEL
		TWA (aerosol)	10 mg/m <sup>3</sup>	CA ON OEL

**Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

#### Personal protective equipment

**Respiratory protection** : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
Suitable respiratory equipment:  
Respirator with a half face mask  
The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

**Hand protection**

Remarks : No special protective equipment required.

**Eye protection** : Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.  
Tightly fitting safety goggles  
Face-shield

**Skin and body protection** : No special protective equipment required.  
Select skin and body protection based on the physical job

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053181641	Date of first issue: 01/30/2026

requirements.

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment. When selecting personal protective equipment, seek appropriate professional advice.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	amber
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	5.6 Concentration: 1 %w/v
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	91 °C Method: Pensky-Martens closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.02 - 1.06 g/cm <sup>3</sup> (20 °C)
Solubility(ies)	:	
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053181641	Date of first issue: 01/30/2026

Auto-ignition temperature : 385 °C

Decomposition temperature : No data available

Viscosity  
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics  
Particle size : No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Ingestion  
Inhalation  
Skin contact  
Eye contact

#### Acute toxicity

Harmful if swallowed or if inhaled.

#### Product:

Acute oral toxicity : LD50 (Rat, female): 550 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): > 2.53 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The component/mixture is moderately toxic after short term inhalation., The substance/mixture is not toxic on inhalation as defined by dangerous goods regulations.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053181641	Date of first issue: 01/30/2026

### Components:

#### **benzovindiflupyr (ISO):**

Acute oral toxicity : LD50 (Rat, female): 55 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 0.56 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

#### **oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propyl] ether:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): 1.08 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg  
Remarks: Based on data from similar materials

#### **propane-1,2-diol:**

Acute oral toxicity : LD50 (Rat): > 20,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rabbit): 317,042 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### **Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

### Product:

Species : Rabbit  
Result : No skin irritation

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053181641	Date of first issue: 01/30/2026

### Components:

#### **benzovindiflupyr (ISO):**

Species : Rabbit  
Result : No skin irritation

#### **oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propyl] ether:**

Species : Rabbit  
Result : No skin irritation

#### **propane-1,2-diol:**

Result : No skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye damage.

### Product:

Species : Rabbit  
Result : Risk of serious damage to eyes.

### Components:

#### **benzovindiflupyr (ISO):**

Species : Rabbit  
Result : No eye irritation

#### **Methyl 5-(dimethylamino) 2-methyl-oxopentanoate:**

Species : Rabbit  
Result : Eye irritation

#### **oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propyl] ether:**

Species : Rabbit  
Result : Eye irritation  
Remarks : Based on data from similar materials

#### **propane-1,2-diol:**

Result : No eye irritation

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Based on available data, the classification criteria are not met.

#### **Respiratory sensitisation**

Not classified due to lack of data.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053181641	Date of first issue: 01/30/2026

### Product:

Test Type : Local lymph node assay (LLNA)  
Species : Mouse  
Result : Does not cause skin sensitisation.

### Components:

#### **benzovindiflupyr (ISO):**

Test Type : mouse lymphoma cells  
Species : Mouse  
Result : Does not cause skin sensitisation.

#### **oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propyl] ether:**

Species : Guinea pig  
Result : Not a skin sensitizer.  
Remarks : Based on data from similar materials

#### **propane-1,2-diol:**

Result : Does not cause skin sensitisation.

### **Germ cell mutagenicity**

Not classified due to lack of data.

### Components:

#### **benzovindiflupyr (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

#### **Methyl 5-(dimethylamino) 2-methyl-oxopentanoate:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

#### **oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propyl] ether:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.  
Remarks: Based on data from similar materials

#### **propane-1,2-diol:**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

### **Carcinogenicity**

Not classified due to lack of data.

### Components:

#### **benzovindiflupyr (ISO):**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen, This substance has been reported to cause tumours

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053181641	Date of first issue: 01/30/2026

in certain animal species., There is no evidence that these findings are relevant to humans.

### propane-1,2-diol:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### Reproductive toxicity

Not classified due to lack of data.

### Components:

#### benzovindiflupyr (ISO):

Reproductive toxicity - Assessment : No toxicity to reproduction

#### Methyl 5-(dimethylamino) 2-methyl-oxopentanoate:

Reproductive toxicity - Assessment : No toxicity to reproduction

### propane-1,2-diol:

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

### STOT - single exposure

Not classified due to lack of data.

### Components:

#### benzovindiflupyr (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

Not classified due to lack of data.

### Components:

#### benzovindiflupyr (ISO):

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propyl] ether:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Remarks : Based on data from similar materials

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053181641	Date of first issue: 01/30/2026

### propane-1,2-diol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Aspiration toxicity

Not classified due to lack of data.

### Components:

#### propane-1,2-diol:

No aspiration toxicity classification

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### benzovindiflupyr (ISO):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.0091 mg/l Exposure time: 96 h
		LC50 (Cyprinus carpio (Carp)): 0.0035 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Americamysis): 0.056 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	ErC50 (Raphidocelis subcapitata (freshwater green alga)): > 0.89 mg/l Exposure time: 96 h
		NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.42 mg/l End point: Growth rate Exposure time: 96 h
		ErC50 (Skeletonema costatum (marine diatom)): 0.55 mg/l Exposure time: 72 h
		NOEC (Skeletonema costatum (marine diatom)): 0.4 mg/l End point: Growth rate Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.00095 mg/l Exposure time: 32 d Test Type: Early-life Stage
Toxicity to daphnia and other aquatic invertebrates (Chronic)	:	NOEC (Americamysis): 0.0074 mg/l Exposure time: 28 d

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053181641	Date of first issue: 01/30/2026

ic toxicity)

EC10 (Daphnia magna (Water flea)): 0.012 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h

### **oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propyl] ether:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 15 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 34.9 mg/l  
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Desmodesmus subspicatus (green algae)): 152.2 mg/l  
plants Exposure time: 72 h  
Remarks: Based on data from similar materials

### **propane-1,2-diol:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other : (Ceriodaphnia dubia (water flea)): 18,340 mg/l  
aquatic invertebrates Exposure time: 48 h  
Test Type: static test

Toxicity to algae/aquatic : ErC50 (Raphidocelis subcapitata (freshwater green alga)):  
plants 19,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other : NOEC (Ceriodaphnia dubia (Water flea)): 13,020 mg/l  
aquatic invertebrates (Chron- Exposure time: 7 d  
ic toxicity) Test Type: semi-static test

### **Persistence and degradability**

#### **Components:**

#### **benzovindiflupyr (ISO):**

Biodegradability : Result: Not readily biodegradable.

#### **propane-1,2-diol:**

Biodegradability : Result: Readily biodegradable.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053181641	Date of first issue: 01/30/2026

### Bioaccumulative potential

#### Components:

##### **benzovindiflupyr (ISO):**

Bioaccumulation : Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 4.3 (25 °C)

### Mobility in soil

#### Components:

##### **benzovindiflupyr (ISO):**

Distribution among environmental compartments : Remarks: Slightly mobile in soils

### Other adverse effects

#### Components:

##### **benzovindiflupyr (ISO):**

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

##### **Methyl 5-(dimethylamino) 2-methyl-oxopentanoate:**

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Refer to the product label for specific disposal/recycling information  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Refer to the product label for specific disposal/recycling information  
Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053181641	Date of first issue: 01/30/2026

### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZOVINDIFLUPYR)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (BENZOVINDIFLUPYR)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZOVINDIFLUPYR)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### TDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053181641	Date of first issue: 01/30/2026

	N.O.S. (BENZOVINDIFLUPYR)
Class	: 9
Packing group	: III
Labels	: 9
ERG Code	: 171
Marine pollutant	: yes(BENZOVINDIFLUPYR)
Remarks	: Class 9 Exemption from Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, if transported solely on land by road vehicle or railway vehicle. 1.45.1. SOR/2008-34

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

Danger

Skull and crossbones

poison

Corrosive to eyes and skin

**Canadian PBT Chemicals** : This product contains the following components on the DSL that are classified as Persistent, Bioaccumulative and/or Toxic (PBT) under CEPA:

octamethylcyclotetrasiloxane [D4]

**NPRI Components** : xylene

**The components of this product are reported in the following inventories:**

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.  
benzovindiflupyr (ISO)

oxirane, 2-methyl-, polymer with oxirane, mono[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy]-1-disiloxanyl]propyl] ether

### Canadian lists

No substances are subject to a Significant New Activity Notification.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053181641	Date of first issue: 01/30/2026

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

CA ON OEL : Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.  
Syngenta : Syngenta Occupational Exposure Limit  
CA ON OEL / TWA : Time-Weighted Average Limit (TWA)  
Syngenta / TWA : Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 01/30/2026  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION B

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053181641	Date of first issue: 01/30/2026

---

CA / 6N

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION C

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053178939	Date of first issue: 01/30/2026

### SECTION 1. IDENTIFICATION

Product name : INSTRATA FUSION C  
Design code : A14212C

Product Registration number : 35709

Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Syngenta Canada Inc.  
Address : 140 Research Lane, Research Park  
Guelph ON N1G 4Z3  
Canada

Telephone : 1-87-SYNGENTA (1-877-964-3682)  
Telefax : 1-519-823-0504

E-mail address :  
Emergency telephone number : 1-800-327-8633 (FAST MED)

#### Recommended use of the chemical and restrictions on use

Recommended use : Fungicide

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Flammable liquids : Category 4  
Eye irritation : Category 2B  
Reproductive toxicity : Category 1B  
Specific target organ toxicity : Category 2 (Bile duct)  
- repeated exposure

#### GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H227 Combustible liquid.  
H320 Causes eye irritation.  
H360 May damage fertility or the unborn child.  
H373 May cause damage to organs (Bile duct) through prolonged or repeated exposure.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION C

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053178939	Date of first issue: 01/30/2026

Precautionary statements

:

### Prevention:

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

### Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

### Storage:

P403 Store in a well-ventilated place.  
P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
tetrahydro-2-furyl-methanol	tetrahydro-2-furyl-methanol	97-99-4	$\geq 60 - < 80$ *
propiconazole (ISO)	propiconazole (ISO)	60207-90-1	9.5588
azoxystrobin (ISO)	azoxystrobin (ISO)	131860-33-8	5.7445

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION C

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053178939	Date of first issue: 01/30/2026

- General advice : Have the product container, label or Safety Data Sheet with you when calling the emergency number, a poison control center or physician, or going for treatment.
- If inhaled : Move the victim to fresh air.  
If breathing is irregular or stopped, administer artificial respiration.  
Keep patient warm and at rest.  
Call a physician or poison control centre immediately.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with plenty of water.  
If skin irritation persists, call a physician.  
Wash contaminated clothing before re-use.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Remove contact lenses.  
Immediate medical attention is required.
- If swallowed : If swallowed, seek medical advice immediately and show this container or label.  
Do NOT induce vomiting.
- Most important symptoms and effects, both acute and delayed : Nonspecific  
No symptoms known or expected.  
Causes eye irritation.  
May damage fertility or the unborn child.  
May cause damage to organs through prolonged or repeated exposure.
- Notes to physician : There is no specific antidote available.  
Treat symptomatically.

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Extinguishing media - small fires  
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
Extinguishing media - large fires  
Alcohol-resistant foam
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.
- Specific hazards during fire-fighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).  
Exposure to decomposition products may be a hazard to health.  
Flash back possible over considerable distance.
- Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NOx)  
Chlorine compounds
- Further information : Do not allow run-off from fire fighting to enter drains or water courses.  
Cool closed containers exposed to fire with water spray.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION C

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053178939	Date of first issue: 01/30/2026

Special protective equipment for firefighters : Wear full protective clothing and self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Keep people away from and upwind of spill/leak.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Remove all sources of ignition.  
Pay attention to flashback.

Environmental precautions : Prevent further leakage or spillage if safe to do so.  
Do not flush into surface water or sanitary sewer system.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.  
Clean with detergents. Avoid solvents.  
Retain and dispose of contaminated wash water.

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes.  
When using do not eat, drink or smoke.  
Use only in an area containing flame proof equipment.  
Take precautionary measures against static discharges.  
For personal protection see section 8.

Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep out of the reach of children.  
Keep away from combustible material.  
Keep in an area equipped with sprinklers.  
Keep away from food, drink and animal feedingstuffs.  
No smoking.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propiconazole (ISO)	60207-90-1	TWA	5 mg/m <sup>3</sup>	Syngenta
azoxystrobin (ISO)	131860-33-8	TWA	0.7 mg/m <sup>3</sup>	Syngenta

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION C

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053178939	Date of first issue: 01/30/2026

**Engineering measures** : THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

Maintain air concentrations below occupational exposure standards.

Where necessary, seek additional occupational hygiene advice.

### Personal protective equipment

**Respiratory protection** : No personal respiratory protective equipment normally required.  
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

### Hand protection

**Remarks** : Wear protective gloves. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

**Eye protection** : Tightly fitting safety goggles  
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.

**Skin and body protection** : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Remove and wash contaminated clothing before re-use.

Wear as appropriate:

Impervious clothing

**Protective measures** : The use of technical measures should always have priority over the use of personal protective equipment.  
When selecting personal protective equipment, seek appropriate professional advice.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION C

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053178939	Date of first issue: 01/30/2026

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	light yellow to brown
Odour	:	aromatic, sweetish
Odour Threshold	:	No data available
pH	:	4 - 8 Concentration: 1 %w/v
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	78 °C Method: Pensky-Martens closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	1.088 g/cm <sup>3</sup>
Solubility(ies)		
Water solubility	:	No data available
Solubility in other solvents	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	265 °C
Decomposition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	18 mPa,s ( 20 °C)
Viscosity, kinematic	:	No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION C

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053178939	Date of first issue: 01/30/2026

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Surface tension : 37.9 mN/m, 1.200 %, 20 °C

Particle characteristics  
Particle size : No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : None reasonably foreseeable.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No decomposition if used as directed.

Incompatible materials : None known.

Hazardous decomposition products : No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Ingestion  
Inhalation  
Skin contact  
Eye contact

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity : LD50 (Rat, female): 2,176 mg/kg  
Assessment: The component/mixture is minimally toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.68 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,050 mg/kg

#### Components:

#### **tetrahydro-2-furyl-methanol:**

Acute oral toxicity : LD50 (Rat): 1,600 mg/kg

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION C

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053178939	Date of first issue: 01/30/2026

### propiconazole (ISO):

Acute oral toxicity : LD50 (Rat, female): 550 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.8 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

### azoxystrobin (ISO):

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): 0.698 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

### Product:

Species : Rabbit  
Result : No skin irritation

### Components:

#### tetrahydro-2-furyl-methanol:

Result : No skin irritation

### propiconazole (ISO):

Species : Rabbit  
Result : No skin irritation

### azoxystrobin (ISO):

Species : Rabbit  
Result : No skin irritation

### Serious eye damage/eye irritation

Causes eye irritation.

### Product:

Species : Rabbit

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION C

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053178939	Date of first issue: 01/30/2026

Result : Irritation to eyes, reversing within 7 days

### Components:

#### **tetrahydro-2-furyl-methanol:**

Result : Eye irritation

#### **propiconazole (ISO):**

Species : Rabbit  
Result : No eye irritation

#### **azoxystrobin (ISO):**

Species : Rabbit  
Result : No eye irritation

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Based on available data, the classification criteria are not met.

#### **Respiratory sensitisation**

Not classified due to lack of data.

### Product:

Species : Guinea pig  
Result : Does not cause skin sensitisation.

### Components:

#### **propiconazole (ISO):**

Species : Guinea pig  
Result : The product is a skin sensitiser, sub-category 1B.

#### **azoxystrobin (ISO):**

Species : Guinea pig  
Result : Does not cause skin sensitisation.

### **Germ cell mutagenicity**

Not classified due to lack of data.

### Components:

#### **propiconazole (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

#### **azoxystrobin (ISO):**

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION C

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053178939	Date of first issue: 01/30/2026

### **Carcinogenicity**

Not classified due to lack of data.

#### **Components:**

##### **propiconazole (ISO):**

Carcinogenicity - Assessment : Weight of evidence does not support classification as a carcinogen

##### **azoxystrobin (ISO):**

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

### **Reproductive toxicity**

May damage fertility or the unborn child.

#### **Components:**

##### **tetrahydro-2-furyl-methanol:**

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments., Clear evidence of adverse effects on sexual function and fertility, based on animal experiments.

##### **propiconazole (ISO):**

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

##### **azoxystrobin (ISO):**

Reproductive toxicity - Assessment : No toxicity to reproduction, No effects on or via lactation

### **STOT - single exposure**

Not classified due to lack of data.

#### **Components:**

##### **propiconazole (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### **STOT - repeated exposure**

May cause damage to organs (Bile duct) through prolonged or repeated exposure.

#### **Components:**

##### **propiconazole (ISO):**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### **azoxystrobin (ISO):**

Target Organs : Bile duct

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION C

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053178939	Date of first issue: 01/30/2026

Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

### Aspiration toxicity

Not classified due to lack of data.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 1.282 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.2 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 4.9 mg/l  
Exposure time: 96 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 2 mg/l  
End point: Growth rate  
Exposure time: 96 h

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0.48 mg/l  
End point: Growth rate  
Exposure time: 96 h

#### Components:

##### **propiconazole (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.3 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): 0.51 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 8.9 mg/l  
Exposure time: 96 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.96 mg/l  
End point: Growth rate  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Cyprinodon variegatus (sheepshead minnow)): 0.068 mg/l

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION C

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053178939	Date of first issue: 01/30/2026

Exposure time: 95 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Americamysis): 0.11 mg/l  
Exposure time: 28 d

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h

### azoxystrobin (ISO):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.47 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.28 mg/l  
Exposure time: 48 h

EC50 (Americamysis): 0.055 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 1.109 mg/l  
Exposure time: 72 h

EC10 (Raphidocelis subcapitata (freshwater green alga)): 0.0303 mg/l  
End point: Growth rate  
Exposure time: 72 h

ErC50 (Skeletonema costatum (marine diatom)): 0.250 mg/l  
Exposure time: 72 h

NOEC (Skeletonema costatum (marine diatom)): 0.010 mg/l  
End point: Growth rate  
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.16 mg/l  
Exposure time: 28 d

EC10 (Pimephales promelas (fathead minnow)): 0.2197 mg/l  
Exposure time: 33 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.044 mg/l  
Exposure time: 21 d

NOEC (Americamysis): 0.00954 mg/l  
Exposure time: 28 d

Toxicity to microorganisms : IC50 (Pseudomonas putida): > 3.2 mg/l  
Exposure time: 6 h

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION C

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053178939	Date of first issue: 01/30/2026

### Persistence and degradability

#### Components:

##### **propiconazole (ISO):**

Biodegradability : Result: Not readily biodegradable.

##### **azoxystrobin (ISO):**

Biodegradability : Result: Not readily biodegradable.

Stability in water : Degradation half life: 224 d  
Remarks: Persistent in water.

### Bioaccumulative potential

#### Components:

##### **propiconazole (ISO):**

Bioaccumulation : Remarks: Medium bioaccumulation potential.

Partition coefficient: n-octanol/water : log Pow: 3.72 (25 °C)

##### **azoxystrobin (ISO):**

Bioaccumulation : Remarks: Does not bioaccumulate.

### Mobility in soil

#### Components:

##### **propiconazole (ISO):**

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 66 - 170 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

##### **azoxystrobin (ISO):**

Distribution among environmental compartments : Remarks: Low mobility in soil.

Stability in soil : Dissipation time: 81.3 d  
Percentage dissipation: 50 % (DT50)  
Remarks: Product is not persistent.

### Other adverse effects

#### Components:

##### **propiconazole (ISO):**

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).

Endocrine disrupting potential : Substance does not have endocrine disrupting properties.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION C

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053178939	Date of first issue: 01/30/2026

### azoxystrobin (ISO):

Results of PBT and vPvB assessment : Substance is not persistent, bioaccumulative, and toxic (PBT).  
Remarks: Weight of Evidence

Endocrine disrupting potential : Substance does not have endocrine disrupting properties.  
Remarks: Weight of Evidence

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Refer to the product label for specific disposal/recycling information  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Do not dispose of waste into sewer.  
Where possible recycling is preferred to disposal or incineration.  
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Refer to the product label for specific disposal/recycling information  
Empty remaining contents.  
Triple rinse containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(PROPICONAZOLE, AZOXYSTROBIN)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

#### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(PROPICONAZOLE, AZOXYSTROBIN)  
Class : 9  
Packing group : III  
Labels : Miscellaneous

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION C

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053178939	Date of first issue: 01/30/2026

Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROPICONAZOLE, AZOXYSTROBIN)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes  
Remarks : This product can be subject to exemptions when packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids, or having a net mass of 5 kg or less for solids.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### TDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROPICONAZOLE, AZOXYSTROBIN)  
Class : 9  
Packing group : III  
Labels : 9  
ERG Code : 171  
Marine pollutant : yes  
Remarks : Class 9 Exemption from Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, if transported solely on land by road vehicle or railway vehicle.  
1.45.1. SOR/2008-34

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

Read the label, authorised under the Pest Control Products Act, prior to using or handling the pest control product

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION C

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053178939	Date of first issue: 01/30/2026

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

Warning

Eye irritant

**NPRI Components** : methanol  
toluene

**The components of this product are reported in the following inventories:**

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.  
azoxystrobin (ISO)

propiconazole (ISO)

### Canadian lists

No substances are subject to a Significant New Activity Notification.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

Syngenta : Syngenta Occupational Exposure Limit  
Syngenta / TWA : Time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative)

# SAFETY DATA SHEET

according to the Hazardous Products Regulations



## INSTRATA FUSION C

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	01/30/2026	S00053178939	Date of first issue: 01/30/2026

---

tative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 01/30/2026  
Date format : mm/dd/yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CA / 6N