

2025-0464
2025-06-02

GROUP	4	INSECTICIDE
-------	---	-------------

FOR EMERGENCY USE ONLY

For sale and use in British Columbia, Alberta, Saskatchewan, Manitoba, Ontario, Quebec, New Brunswick, Nova Scotia, Prince Edward Island, and Newfoundland & Labrador from 2 June 2025 to 1 June 2028

STARKLE 20 SG

Water Soluble Granules

For application as a basal bark spray for control of spotted lanternfly. For Use in ornamental and outdoor landscape trees and large shrubs, forests, woodlands, and other treed areas.

RESTRICTED

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

REGISTRATION NUMBER 34653 PEST CONTROL PRODUCTS ACT

CAUTION – EYE AND SKIN IRRITANT

ACTIVE INGREDIENT: Dinotefuran 20.00%
Net Contents: 500 mL

Warning, contains the allergen milk

IN CASE OF EMERGENCY INVOLVING A POISONING OR MAJOR SPILL CALL +1 202 464 2554

Canadian Agent:
Belchim Crop Protection Canada Inc.
104 Cooper Drive, Unit 3
Guelph ON N1C 0A4
1-866-613-3336

Manufactured for:

MITSUI CHEMICALS CROP & LIFE SOLUTIONS, INC.	
Nihonbashi Dia Building, 1-19-1, Nihonbashi Chuo-ku, Tokyo 103-0027, JAPAN.	P. O. Box 5126 Valdosta, GA 31603-5126 USA

2025-0464

2025-06-02

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.

NATURE OF RESTRICTION:

This product is only to be sold to and used by individuals holding an appropriate pesticide applicator certificate or license recognized by the provincial pesticide regulatory agency where the pesticide application is to occur. This restriction applies to all basal trunk spray handlers. Treatments must be first recommended by federal or provincial government professional staff qualified to identify and assess the pest situation.

DIRECTIONS FOR USE

As this product is not registered for the control of pests in aquatic systems, DO NOT use to control aquatic pests.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

DO NOT apply to trees or shrubs that are within 7 m of water courses.

FOR USE AS A BASAL BARK SPRAY FOR CONTROL OF SPOTTED LANTERNFLY

This product may be tank mixed with registered pest control products, whose labels also allow tank mixing, provided the entirety of both labels, including Directions For Use, Precautions, Restrictions, Environmental Precautions, and Spray Buffer Zones are followed for each product. In cases where these requirements differ between the tank mix partner labels, the most restrictive label must be followed. Do not tank mix products containing the same active ingredient unless specifically listed on this label.

In some cases, tank mixing pest control products can result in reduced pesticide efficacy or increased host crop injury. The user should contact Mitsui Chemicals Crop and Life Solutions, Inc. at 416-506-9900 for information before applying any tank mix that is not

2025-0464

2025-06-02

specifically recommended on this label.

MIXING INSTRUCTIONS:

Add $\frac{1}{2}$ of the required amount of water to the mix tank. With the agitator running, add the desired amount of STARKLE 20 SG to the tank. Continue agitation while adding the remainder of the water. Begin application of the solution after STARKLE 20 SG has completely dispersed into the mix water.

APPLICATION PROCEDURES AND SPRAY EQUIPMENT

Basal trunk spray using backpack sprayer.

Apply with low pressure sprayer operated at maximum 20 PSI to avoid splash-back and drift.

CROP	PEST	PRODUCT RATE PER APPLICATION	SPECIAL INSTRUCTIONS
Ornamental and outdoor landscape trees and large shrubs, forests, woodlands and other treed areas	Spotted lanternfly	<p>90-180 g of product per litre of water (18-36 g of active ingredient per L of water)</p> <p>When applied just to the point of runoff, 3.78 L of spray solution should treat approximately 1.6 to 2 m of cumulative trunk diameter (calibrated flow rate should deliver 44 – 60 mL of spray solution per 2.5 cm of trunk</p>	<p>Spray solution on bark over entire circumference of trunk from 10 to 135 centimetres (4-54 inches) above the soil surface.</p> <p>Wet bark with spray solution to the point of saturation and before run off.</p> <p>During application do not allow spray solution to run off trunk onto soil surface.</p>

2025-0464

2025-06-02

		<p>diameter for suitable coverage) or 5 L of spray solution should treat approximately 2.1 to 2.8 m</p>	<p>DO NOT apply directly to soil. Toxic to bees. DO NOT apply during the tree blooming period or before the tree blooms.</p> <p>Apply when trees/shrubs are actively growing and transporting water in xylem.</p> <p>Apply just prior to egg hatch until fall when adults finish oviposition. Target life stages are nymphs and adults.</p>	
<p>RESTRICTIONS:</p> <ul style="list-style-type: none">- Maximum of one application per year- Maximum 3025 grams Starkle 20SG per hectare per year (605 g of active ingredient per ha per year)				

PRECAUTIONS**KEEP OUT OF REACH OF CHILDREN**

May irritate the eyes and skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Keep children or pets off treated area until spray is dry. Wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes during mixing, loading, application, clean-up and repair. Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

2025-0464

2025-06-02

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Apply only when the potential for drift beyond the area to be treated is minimal. Take into consideration wind speed, wind direction, temperature inversions, application equipment, and sprayer settings.

DO NOT enter or allow worker entry into treated areas until sprays have dried.

DO NOT use in residential areas unless a restricted entry interval of 96 hours can be enforced (signs must be posted and area must be marked off). Residential areas are defined as any use site where bystanders or the public, including children, could be exposed during or after application. This includes areas in and around homes, schools, public buildings or any other areas where they could be exposed.

FIRST AID

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

No specific antidote is available. Treat the patient symptomatically.

2025-0464

2025-06-02

ENVIRONMENTAL PRECAUTIONS

Toxic to aquatic organisms.

Toxic to bees. Bees may be exposed through direct spray, spray drift, and residues on-leaves, pollen and nectar in flowering crops and weeds. Minimize spray drift to reduce harmful effects on bees in habitats close to the application site. DO NOT apply during the tree blooming period or before the tree blooms. Avoid applications when bees are foraging in the treatment area in ground cover containing blooming weeds or plants.

Toxic to certain beneficial arthropods (which may include predatory and parasitic insects, spiders and mites). Minimize spray drift to reduce harmful effects on beneficial arthropods in habitats next to the application site such as hedgerows and woodland. Care should be taken when using this product in an integrated pest management program where users are relying on the presence of beneficial arthropods.

STORAGE: Store this product away from food or feed. Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

DISPOSAL:

Disposal of container: DO NOT reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.

2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

Disposal of unused, unwanted product: For information on disposal of unused, unwanted product, contact the registrant or the provincial regulatory agency. Contact the registrant and the provincial regulatory agency in case of a spill, and for clean-up of spills.